

TOBRILIC-F EYE DROPS

Tobramycin & Fluorometholone Ophthalmic Solution

"Dual Protection. Anti-Infective & Anti-Inflammatory."

Marketed by: Human Ophthocare

A Division of Human Biolife India Pvt. Ltd.

www.humanophthocare.com



Product Overview

Tobrilic-F Eye Drops

- Active ingredients: Tobramycin (Antibiotic) + Fluorometholone (Corticosteroid)
- Dual-action: Antibacterial + Anti-inflammatory
- Provides rapid control of ocular infections with associated inflammation
- Reduces redness, pain, and discomfort while fighting infection
- Suitable for short-term management of post-surgical or infectious eye conditions



Why Tobramycin + Fluorometholone?

Dual Mechanism of Action



Tobramycin


Broad-spectrum antibiotic, effective against gram-positive & gram-negative bacteria

Fluorometholone

Potent corticosteroid, reduces ocular inflammation & allergic response

Combined Benefits

Combines infection control with anti-inflammatory relief
Helps prevent complications from bacterial infections & inflammation



Indications

Tobrilic-F is recommended for:

- Bacterial conjunctivitis with associated inflammation
- Post-operative ocular infections with inflammation
- Keratitis, blepharitis & other bacterial eye infections
- Ocular inflammation where corticosteroid use is warranted with antibacterial coverage

Clinical Advantages



Dual Protection

Fights infection & reduces inflammation simultaneously



Rapid Symptom Relief

Reduces redness, pain, and swelling



Reduced Risk

Lowers post-surgical infection & complications



Convenient

Fixed-dose combination → better patient compliance



Well-Tolerated

When used under medical supervision

Comparison with Other Combinations

Parameter	Tobrilic-F (Tobramycin + Fluorometholone)	Tobramycin Alone	Steroid Alone
Infection Control	<input checked="" type="checkbox"/> Strong (Broad-Spectrum)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Anti-Inflammatory	<input checked="" type="checkbox"/> Potent	<input type="checkbox"/> No	<input checked="" type="checkbox"/> Yes
Dual Action	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	<input type="checkbox"/> No
Post-Surgical Use	<input checked="" type="checkbox"/> Ideal	<input type="checkbox"/> Limited	<input type="checkbox"/> Limited
Compliance	<input checked="" type="checkbox"/> High (Fixed Combo)	<input type="checkbox"/> Moderate	<input type="checkbox"/> Moderate

Dosage & Administration

01

Standard Dosage

1–2 drops into the affected eye(s) every 4–6 hours.

02

Severe Infections

May be used more frequently during initial 24–48 hours.

03

Treatment Duration

Taper gradually under physician guidance.

04

Administration Route

For topical ophthalmic use only.



Safety & Tolerability

Generally Well-Tolerated

Possible side effects:

- Mild burning/irritation upon instillation
- Transient blurred vision
- Risk of increased intraocular pressure with prolonged use

Contraindications:

- Viral, fungal, or tuberculous eye infections
- Hypersensitivity to aminoglycosides or corticosteroids
- Long-term unsupervised use not recommended

ⓘ **Important Safety Information:** Always use under medical supervision and follow prescribed duration of treatment.

Why Prescribe Tobrilic-F?

Doctor's Choice For:



Dual Action

Antibacterial + Anti-inflammatory



Effective

In post-operative and infectious ocular conditions



Faster Recovery

Provides faster patient recovery & comfort



Reduced Risk

Of complications in bacterial eye disease



Trusted Quality

From HumAn Ophthocare



HumAn
Ophthocare™

Contact Us

Fluromac is a potent ophthalmic corticosteroid for targeted inflammation relief with a strong safety profile when used judiciously.

Use with clinical discretion, especially in high-risk ocular conditions.

For medical queries or collaboration:

HumAn Ophthocare – A Division of Human Biolife India Pvt. Ltd.



www.humanophthocare.com



+91 6283361749

